### **TYPE:**

## **PROJECT NAME:**







Z Each "mobi" arm has 2 circular LED sources that are connected with a thin tube and O balanced by 2 cables. Every LED cylinder is rotatable and makes it easy to control and in direct the light wherever necessary. At the basis of the design of mobi are highly functional, dim to warm LED modules and optimal light diffusion through precisely calculated optical diffusors. Mobi can be used as a single or double installation to create a graphic and minimalistic character, but combined together they will transform into an O eye-catching chandelier. Its simple and timeless shapes make mobi adaptable for all spaces.

tossB<sup>®</sup>



### **TYPE:**

# **PROJECT NAME:**

Mobi Bases (See next page for Arms)

### mobi 1-arm base



black painted white painted







T101H1DZL T101H1DWL

X



D170 H42 (Ø6.69" x 1.65")

order 1 arm with this base

#### mobi 2-arm base



black painted white painted


black painted

white painted



T101H2DZL T101H2DWL

T101H3DWL



order 2 arms with this base

#### mobi 3-arm base














order 3 arms with this base

## **ORDERING INFO**

Model (Order Code) Voltage Dimming 277V is only compatible with 0-10V dimming ○ 120V ○ LTE (Leading/Trailing Edge Dim) O 277V O10V (0-10V)



Installation note: Comes with a 4" backplate that mounts to a standard junction box

### **TYPE:**

## **PROJECT NAME:**

