### **GRID**

MODULAR CEILING SYSTEM

### TYPE:

### **PROJECT NAME:**



## GRID


Grid is an innovative modular surface mounted ceiling system. A very small composition or an infinite network of profiles can be placed from a single electrical connection and provide light wherever required. The strikingly graphic configurations form sculptures discretely and stylishly integrated into the architecture of each space. Grid features LED spots with a 45° beam angle for direct lighting.

### TYPE:

### **PROJECT NAME:**

### **BASE WITH DRIVER**

4.52" 4.52" 115 MM 1 115 MM I



WATTAGE MAX. 4 SPOTS 4W

#### **ORDER CODE**

BLACK ANODIZED	L30T108C1DZL
WHITE PAINTED	L30T108C1DWL

Order one Base for every 4 lights.


Bases can be connected with connector pieces shown below. Grid and Grid Globe use the same base and connectors, so compositions can be made with both spot and globe lights. See page 5 for composition examples.

BLACK ANODIZED	L30T108C1DZL
WHITE PAINTED	L30T108C1DWL

### **GRID CONNECTION PIECE 50CM**

### **GRID CONNECTION PIECE 75CM**


### **GRID CONNECTION PIECE 100CM**





**ORDER CODE** 

BLACK ANODIZED	L30T108P7DZL
WHITE PAINTED	L30T108P7DWL



BLACK ANODIZED	L30T108P8DZL
WHITE PAINTED	L30T108P8DWL

ORDER CODE

# 1000 MM 39.37

ORDER CODE		
BLACK ANODIZED	L30T108P9DZL	
WHITE PAINTED	L30T108P9DWL	

1.77"

45 MM

### MODULAR CEILING SYSTEM

### TYPE:


### **PROJECT NAME:**

### GRID ARM 1 WITH 1 SPOT

9.84"


295 MM 11.61"

250 MM



**GRID ARM 2 WITH 1 SPOT** 

### **GRID ARM 3 WITH 1 SPOT**



LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	4W
LUMEN	400

LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	4W
LUMEN	400

LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	4W
LUMEN	400

### **ORDER CODE**

-		
	BLACK ANODIZED	L30T108P1DZL
	WHITE PAINTED	L30T108P1DWI

### **ORDER CODE**

BLACK ANODIZED	L30T108P2DZL
WHITE PAINTED	L30T108P2DWL


### ORDER CODE

BLACK ANODIZED	L30T108P3DZL
WHITE PAINTED	L30T108P3DWL

### **GRID ARM 1 WITH 2 SPOTS**

### **GRID ARM 2 WITH 2 SPOTS**

### **GRID ARM 3 WITH 2 SPOTS**



LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	2x4W
LUMEN	2x400

LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	2x4W
LUMEN	2x400

LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	2x4W
LUMEN	2x400

### ORDER CODE

BLACK ANODIZED	L30T108P4DZL
WHITE PAINTED	L30T108P4DWL

### ORDER CODE

BLACK ANODIZED	L30T108P5DZL
	LSUTTUOPSDZL
WHITE PAINTED	L30T108P5DWL

### ORDER CODE


BLACK ANODIZED	L30T108P6DZL
WHITE PAINTED	L30T108P6DWL

### **TYPE:**


### **PROJECT NAME:**

ORDERING INFO		
Driver Options  120V Phase Dimming 120V 0-10V Dimming	The Grid modular ceiling system can be designed in multiple configurations by using the different length of arms that are connected to the bases. The Grid allows the customer to create their own unique design.  Please ensure to order all the necessary components to complete your design. See examples on page 5 for different configuration ideas.	
Order Code	- Quantity	
	-	
	- - -	
-	-	
	-	
	- 	
	-	
	-	


### **EXAMPLES - HOW TO ORDER**




2x L30T108P6D 1x L30T108C1D



=





4x L30T108P3D 5x L30T108P2D 1x L30T108P1D 2x L30T08P8D 1x L30T108P9D 4x L30T108C1D

tossB<sup>®</sup>