

# TRIBES GLOBE G9 LED

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

## tribes

design by david abad

Tribes is inspired by the 'Calumet' ceremonial pipes that are smoked by the indigenous tribes of North America. Tribes is a family of pendant luminaries with a very graphic and minimalist design and is equipped with two direct and one indirect LED spot modules. Tribes can create a unique and dynamic atmosphere. It is manufactured in two versions; individual with a clean graphic image and the triple version with a marked personality that creates a chandelier effect, which fits perfectly in the most contemporary spaces as well as classic or vintage interiors.

**tossB**<sup>®</sup>

A **Luminart** BRAND

WWW.TOSSBLIGHTING.COM

# TRIBES GLOBE G9 LED

SUSPENSION


TYPE:

PROJECT NAME:

To order Tribes Suspension, first select a base: they support 1, 2, and 3 arms respectively. Then select arms depending on the base you choose. See the following pages for arms.

Note that when selecting arms for the 2-arm and 3-arm base, you must select arms with different heights; the arms must be staggered to fit on the base.


tribes globe 1 base



voltage	120V
class	1
diameter	170 mm (6.69")
height	90 mm (3.54")

order code	
white	T98H1HWLG9
black	T98H1HZLG9


tribes globe 2 base



voltage	120V
class	1
diameter	170 mm (6.69")
height	90 mm (3.54")

order code	
white	T98H3HWLG9
black	T98H3HZLG9

tribes globe 3 base



voltage	120V
class	1
diameter	280 mm (11.02")
height	90 mm (3.54")

order code	
white	T98H2HWLG9
black	T98H2HZLG9

## ORDERING INFO

Model (Order Code)

LED

Driver Options

- 2700K
- 3000K
- 4000K

- 120V Phase Dimming



Installation note: Fixture comes with a 4" backplate that mounts to a standard junction box

SPECIFICATION SHEET


# TRIBES GLOBE G9 LED

SUSPENSION

TYPE:

PROJECT NAME:

tribes globe H1 - 60cm




lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>600 mm (23.62")</b>

**order code**

white	<b>T98SP1HWLG9</b>
black	<b>T98SP1HZLG9</b>
white / gold	<b>T98SP1HWLLBG9</b>
black / gold	<b>T98SP1HZLLBG9</b>

tribes globe H2 - 70cm




lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>700 mm (27.55")</b>

**order code**

white	<b>T98SP2HWLG9</b>
black	<b>T98SP2HZLG9</b>
white / gold	<b>T98SP2HWLLBG9</b>
black / gold	<b>T98SP2HZLLBG9</b>

tribes globe H3 - 80cm




lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>800 mm (31.49")</b>

**order code**

white	<b>T98SP3HWLG9</b>
black	<b>T98SP3HZLG9</b>
white / gold	<b>T98SP3HWLLBG9</b>
black / gold	<b>T98SP3HZLLBG9</b>

tribes globe H4 - 100cm




lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1000 mm (39.37")</b>

**order code**

white	<b>T98SP4HWLG9</b>
black	<b>T98SP4HZLG9</b>
white / gold	<b>T98SP4HWLLBG9</b>
black / gold	<b>T98SP4HZLLBG9</b>

tribes globe H5 - 110cm




lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1100 mm (43.3")</b>

**order code**

white	<b>T98SP5HWLG9</b>
black	<b>T98SP5HZLG9</b>
white / gold	<b>T98SP5HWLLBG9</b>
black / gold	<b>T98SP5HZLLBG9</b>

tribes globe H6 - 120cm




lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1200 mm (47.24")</b>

**order code**

white	<b>T98SP6HWLG9</b>
black	<b>T98SP6HZLG9</b>
white / gold	<b>T98SP6HWLLBG9</b>
black / gold	<b>T98SP6HZLLBG9</b>

tribes globe H7 - 130cm




lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1300 mm (51.18")</b>

**order code**

white	<b>T98SP7HWLG9</b>
black	<b>T98SP7HZLG9</b>
white / gold	<b>T98SP7HWLLBG9</b>
black / gold	<b>T98SP7HZLLBG9</b>

tribes globe H8 - 140cm



lamp type	<b>G9LED (DIM TRIAC)</b>
colour temp.	<b>2700K, 3000K, 4000K</b>
max. watt	<b>3 x 5W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1400 mm (55.11")</b>

**order code**

white	<b>T98SP8HWLG9</b>
black	<b>T98SP8HZLG9</b>
white / gold	<b>T98SP8HWLLBG9</b>
black / gold	<b>T98SP8HZLLBG9</b>

SPECIFICATION SHEET

# TRIBES GLOBE CC LED

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

## tribes

design by david abad

Tribes is inspired by the 'Calumet' ceremonial pipes that are smoked by the indigenous tribes of North America. Tribes is a family of pendant luminaries with a very graphic and minimalist design and is equipped with two direct and one indirect LED spot modules. Tribes can create a unique and dynamic atmosphere. It is manufactured in two versions; individual with a clean graphic image and the triple version with a marked personality that creates a chandelier effect, which fits perfectly in the most contemporary spaces as well as classic or vintage interiors.

**tossB**<sup>®</sup>

A **Luminart** BRAND

WWW.TOSSBLIGHTING.COM

# TRIBES GLOBE CC LED

SUSPENSION


TYPE:

PROJECT NAME:

To order Tribes Suspension, first select a base: they support 1, 2, and 3 arms respectively. Then select arms depending on the base you choose. See the following pages for arms.

Note that when selecting arms for the 2-arm and 3-arm base, you must select arms with different heights; the arms must be staggered to fit on the base.


tribes globe 1 base



voltage	120V
class	1
diameter	170 mm (6.69")
height	90 mm (3.54")

order code	
white	T98H1HWLCC
black	T98H1HZLCC


tribes globe 2 base



voltage	120V
class	1
diameter	170 mm (6.69")
height	90 mm (3.54")

order code	
white	T98H3HWLCC
black	T98H3HZLCC

tribes globe 3 base



voltage	120V
class	1
diameter	280 mm (11.02")
height	90 mm (3.54")

order code	
white	T98H2HWLCC
black	T98H2HZLCC

## ORDERING INFO

Model (Order Code)

LED

Driver Options

2700K

120V Phase Dimming

120V 0-10V Dimming

277V 0-10V Dimming



Installation note: Fixture comes with a 4" backplate that mounts to a standard junction box

SPECIFICATION SHEET

**tossB**<sup>®</sup>

A **Luminart** BRAND

WWW.TOSSBLIGHTING.COM


# TRIBES GLOBE CC LED

SUSPENSION

TYPE:

PROJECT NAME:

tribes globe H1 - 60cm




lamp type	<b>LED (DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>600 mm (23.62")</b>

**order code**

white	<b>T98SP1DWLCA</b>
black	<b>T98SP1DZLCA</b>
white / gold	<b>T98SP1DWLLBCA</b>
black / gold	<b>T98SP1DZLLBCA</b>

tribes globe H2 - 70cm




lamp type	<b>LED (DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>700 mm (27.55")</b>

**order code**

white	<b>T98SP2DWLCA</b>
black	<b>T98SP2DZLCA</b>
white / gold	<b>T98SP2DWLLBCA</b>
black / gold	<b>T98SP2DZLLBCA</b>

tribes globe H3 - 80cm




lamp type	<b>LED(DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>800 mm (31.49")</b>

**order code**

white	<b>T98SP3DWLCA</b>
black	<b>T98SP3DZLCA</b>
white / gold	<b>T98SP3DWLLBCA</b>
black / gold	<b>T98SP3DZLLBCA</b>

tribes globe H4 - 100cm




lamp type	<b>LED (DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1000 mm (39.37")</b>

**order code**

white	<b>T98SP4DWLCA</b>
black	<b>T98SP4DZLCA</b>
white / gold	<b>T98SP4DWLLBCA</b>
black / gold	<b>T98SP4DZLLBCA</b>

tribes globe H5 - 110cm




lamp type	<b>LED (DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1100 mm (43.3")</b>

**order code**

white	<b>T98SP5DWLCA</b>
black	<b>T98SP5DZLCA</b>
white / gold	<b>T98SP5DWLLBCA</b>
black / gold	<b>T98SP5DZLLBCA</b>

tribes globe H6 - 120cm




lamp type	<b>LED (DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1200 mm (47.24")</b>

**order code**

white	<b>T98SP6DWLCA</b>
black	<b>T98SP6DZLCA</b>
white / gold	<b>T98SP6DWLLBCA</b>
black / gold	<b>T98SP6DZLLBCA</b>

tribes globe H7 - 130cm




lamp type	<b>LED (DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1300 mm (51.18")</b>

**order code**

white	<b>T98SP7DWLCA</b>
black	<b>T98SP7DZLCA</b>
white / gold	<b>T98SP7DWLLBCA</b>
black / gold	<b>T98SP7DZLLBCA</b>

tribes globe H8 - 140cm



lamp type	<b>LED (DIM TRIAC)</b>
colour temp.	<b>2700K</b>
max. watt	<b>3 x 6W</b>
voltage	<b>120V</b>
lumen	<b>3 x 600</b>
class	<b>2</b>
gear	-
length	<b>1400 mm (55.11")</b>
width	<b>55 mm (2.16")</b>
height	<b>1400 mm (55.11")</b>

**order code**

white	<b>T98SP8DWLCA</b>
black	<b>T98SP8DZLCA</b>
white / gold	<b>T98SP8DWLLBCA</b>
black / gold	<b>T98SP8DZLLBCA</b>

SPECIFICATION SHEET